



Price List

Price List

Sl. No.	Description	Page no's
1.	Single Function Meters	1
2.	Multifunction Meters	2
3.	Trivector Meters	3
4.	Demand Controller	4
5.	Power Quality Meter	4

Single Function Meters



Ordering Code	Description	Accuracy	Unit Price (₹)
SPA 0110	1 Phase Ammeter	1	1000
SPA 0105	1 Phase Ammeter	0.5	1250
SPV 0110	1 Phase Voltmeter	1	950
SPV 0105	1 Phase Voltmeter	0.5	1250
SPF 0102	Frequency Meter	0.2	950
TPA 0410	3 Phase Ammeter	1	1250
TPA 0405	3 Phase Ammeter	0.5	1500
TPV 0810	3 Phase Voltmeter	1	1200
TPV 0805	3 Phase Voltmeter	0.5	1400

VAF Meters



Ordering Code	Description	Accuracy	Unit Price (₹)
VAF 1710	VAF Meters (for LT Supply only)	1	1800
VAF 1705	VAF Meters (for LT Supply only)	0.5	2060
VAFP 1710	VAF,PF Meters (for LT & HT Supply Both)	1	2200
VAFP 1705	VAF,PF Meters (for LT & HT Supply Both)	0.5	2500
VAFPR 1710	VAF, PF meter with RS 485 port (for LT & HT Supply Both)	1	2800
VAFPR 1705	VAF, PF meter with RS 485 port (for LT & HT Supply Both)	0.5	3000

Multifunction Meters



Ordering Code	Description	Accuracy	Unit Price (₹)
MF 0910	Multifunction Energy Meter MF09 (A,P,F,W/VA,Wh/VAh)	1	4400
MF 0905	Multifunction Energy Meter MF09 (A,P,F,W/VA,Wh/VAh)	0.5	4700
MFR 0910	Multifunction Energy meter MF09 with RS 485 port (A,P,F,W/VA,Wh/VAh)	1	5200
MFR 0905	Multifunction Energy meter MF 09 with RS485 port (A,P,F,W/VA,Wh/VAh)	0.5	5500
MF 0910	Multifunction Energy Meter MF09 (A,P,F,W/VA,Wh/VAh) with inbuilt outer CT up to 60 Amps.	1	5000
MFR 0910	Multifunction Energy Meter MF09 with RS 485 port ((A,P,F,W/VA,Wh/VAh) with inbuilt outer CT up to 60 Amps.	1	5800
*MFR 0910	Multifunction Energy meter MF09 with 2 Relay O/P & RS 485 port (A,P,F,W/VA,Wh/VAh)	1	8400
MF 2810	MF 28 (V,A,F,PF,(W/VA),Wh/Vah,Run Hrs,On Hrs,No. of Intrs,RPM,THD% V& A phase wise	1	5400
MFR 2810	MF 28 with RS 485 Port (V,A,F,PF,(W/VA),Wh/Vah,Run Hrs,On Hrs,No. of Intrs,RPM, THD% V& A phase wise	1	6200
MF 2805	MF 28 (V,A,F,PF,(W/VA),Wh/Vah,Run Hrs,On Hrs,No. of Intrs,RPM, THD% V& A phase wise	0.5	6300
MFR 2805	MF 28 with RS 485 Port (V,A,F,PF,(W/VA),Wh/Vah,Run Hrs,On Hrs,No. of Intrs,RPM, THD% V& A phase wise	0.5	6825
MF 4210	Load Manager MF 42 All electric basic, Power & Energy parameters including Run Hrs,On Hrs,No. of Intrs, THD% V& A phase wise	1	7775
MFR 4210	Load Manager MF 42 with RS 485 Port , All electric basic, Power & Energy parameters including Run Hrs,On Hrs,No. of Intrs, THD% V& A phase wise	1	8400
MF 4205	Load Manager MF 42 All electric basic, Power & Energy parameters including Run Hrs,On Hrs,No. of Intrs, THD% V& A phase wise	0.5	8400
MFR 4205	Load Manager MF 42 with RS 485 Port , All electric basic, Power & Energy parameters including Run Hrs,On Hrs,No. of Intrs, THD% V& A phase wise	0.5	8925
*MFR 4210	Load Manager MF 42 with RS 485 Port , All electric basic, Power & Energy parameters including Run Hrs,On Hrs,No. of Intrs, V& A phase wise (*two relay o/p programmable V/A/F/PF/W/VA with time delay)	1	10500
MF 4810	Load Manager MF 48 with Import/Export All electric basic, Power & Energy parameters 4 quadrant including THD% V& A phase wise	1.0	9450
MFR 4810	Load Manager MF 48 with Import/Export & RS485 port All electric basic, Power & Energy parameters 4 quadrant including THD% V& A phase wise	1	10300
MF 4805	Load Manager MF 48 with Import/Export & RS485 port All electric basic, Power & Energy parameters 4 quadrant including THD% V& A phase wise	0.5	10500
MFR 4805	Load Manager MF 48 with Import/ Export & RS485 port All electric basic, Power & Energy parameters 4 quadrant including THD% V& A phase wise	0.5	11550

All Multifunction Meters are with Diagnostic Features.

i. Phase Sequence.

ii. CT Direction

iii.Verification of Voltage & Current.

Meter display can be customised as per requirement.

Kwh & KVAh phase wise can be provided on display & RS 485 port on chargeable basis.

Trivector Meters



Ordering Code	Description	Accuracy	Unit Price (₹)
TVM 4410	Trivector meter MF 44 , (All electric basic parameter, Power Parameters,Energy parameter, Demand & RTC)	1	10500
TVMR 4410	Trivector meter MF 44 with RS 485 Port, (All electric basic parameter, Power Parameters,Energy parameter, Demand & RTC)	1	11550
TVM 4405	Trivector meter MF 44, (All electric basic parameter, Power Parameters,Energy parameter, Demand & RTC)	0.5	12075
TVMR 4405	Trivector meter MF 44 with RS 485 Port , (All electric basic parameter, Power Parameters, Energy parameter, Demand & RTC)	0.5	13450
TVM 5110	Trivector Meter TVM 51 with Import/Export & Demand, (All electric basic parameter, Power Parameters, Energy parameter, Demand & RTC with 4 Quadrant measurement)	1	11550
TVMR 5110	Trivector Meter TVM 51 with Import/Export & Demand with RS 485 Port (All electric basic parameter, Power Parameters, Energy parameter, Demand & RTC with 4 Quadrant measurement)	1	12600
TVM 5105	Trivector Meter TVM 51 with Import/Export & Demand (All electric basic parameter, Power Parameters, Energy parameter, Demand & RTC, with 4 Quadrant measurement)	0.5	13650
TVMR 5105	Trivector Meter TVM 51 with Import/Export & Demand with RS 485 Port (All electric basic parameter, Power Parameters,Energy parameter, Demand & RTC, with 4 Quadrant measurement)	0.5	14700

Dual Source Energy Meters



Ordering Code	Description	Accuracy	Unit Price (₹)
DSR 1010	Dual Energy Meter DSR 10 with RS485 port (A,W,VA,Wh,Vah & THD % V&A)	1	4425
DSR 1005	Dual Energy Meter DSR 10 with RS485 port (A,W,VA,Wh,Vah&THD %V&A)	0.5	5050
MFDSR 2810	Dual Source MF Meter with RS 485 Port (VLL,A,HZ,PF,W,VA,Wh,Vah & THD % V&A)	1	7800
MFDSR 2805	Dual Source MF Meter with RS 485 Port (VLL,A,HZ,PF,W,VA,Wh,Vah & THD % V&A)	0.5	8725
DSR 1010	Dual Energy Meter DSR 10 with RS485 port & inbuilt outer CT upto 60 Amps(A,W,VA,Wh,Vah & THD % V&A)	1	5100
*DSRR 1010	Dual Energy Meter DSR 10 with RS485 port & 2 Relay O/P (A,W,VA,Wh,Vah&THD %V&A)	1	9250
MFDSR 2810	Dual Source MF Meter with RS 485 Port & inbuilt outer CT upto 60 Amps (VLL,A,HZ,PF,W,VA,Wh,Vah & THD % V&A)	1	8400
MFDSR 2805	Dual Source MF Meter with RS 485 Port & inbuilt outer CT upto 60 Amps (VLL,A,HZ,PF,W,VA,Wh,Vah & THD % V&A)	0.5	9400

All Multifunction Meters and Dual Source Energy Meters are with Diagnostic Features.
i. Phase Sequence.
ii. CT Direction
iii.Verification of Voltage & Current. ## ALL Dual Meters having Demand Parameters optional

Power Quality Meter



Ordering Code	Description	Accuracy	Unit Price (₹)
PQMR 6810	Power Quality Meter PQMR68 with RS-485 Port (V, A, F, PF, (W/VA), (Wh/VAh), THD% on V & A Phase wise, Run Hours, On Hours, Nos. of Interrupt, RPM & Individual Harmonics up to 21st on voltage & Current).	1	10500
PQMR 6805	Power Quality Meter PQMR68 with RS-485 Port (V, A, F, PF, (W/VA), (Wh/VAh), THD% on V & A Phase wise, Run Hours, On Hours, Nos. of Interrupt, RPM & Individual Harmonics up to 21st on voltage & Current).	0.5	12500
PQMR 8210	Load Manager PQMR82 with Rs485 Port. All basic electric parameters including THD% on V & A Phase wise & Individual Harmonics up to 21st on voltage & Current.	1	14500
PQMR 8205	Load Manager PQMR82 with Rs485 Port. All basic electric parameters including THD% on V & A Phase wise & Individual Harmonics up to 21st on voltage & Current.	0.5	16500

Demand Controllers



Ordering Code	Description	Accuracy	Unit Price (₹)
SDC 5110	Smart Demand Controller SDC 51 with RS-485 Port	1	21000
SDC 5105	Smart Demand Controller SDC 51 with RS-485 Port	0.5	22050

Commercial Terms & Conditions

1. Excise Duty : as applicable shall be charged extra.
2. Sales Tax : as applicable shall be charged extra.
3. Prices : Ex.-Works Gurgaon.
4. Prices are subject to change without notice.
5. Prices charged will be as prevailing on the date of dispatch.

Auth. Distributor

For any queries please contact :

ENERSOL SYSTEMS PRIVATE LIMITED

Works : Plot No. 510, 2nd Floor, Sector-37, Pace City II,
Industrial Area, Gurgaon-122001
Tel. : 0124 - 4221228, 4371227
E-mail : virender@enersolsystems.com
Website : www.enersolsystems.com

Corp. off. : Plot No. 811, Sector-40, Gurgaon-122001
Cell. : +91 - 9810331228
Delhi/Noida - Cell No. 8130688222
Gurgaon- Cell No. 8130688221



ENERSOL
SUSTAINABLE ENERGY SOLUTIONS